

-----  
0600Bg--Ocean Veritas Cruise 06 JUN 25-29 2010  
-----

\*\*\*\*DATA SOURCE\*\*\*\*

Data were compiled from surveys conducted in the Gulf of Mexico. Data were compiled from NewFields Environmental Forensics Practice, LLC (Alpha) lab electronic data. The data sets were for samples collected from the Ocean Veritas Cruise 06 JUN 25-29 2010.

As each set is added, the chemistry table (chemwat for water data) includes a 'Dataset' field that tracks the additions, as follows:

Dataset 052: 1007001, 1007002, 1007003, 1007006, 1007007, 1007008, 1007010, 1007011, 1007012, 1007015, 1007016, 1007017

\*\*\*\*STUDY\*\*\*\*

The data include water chemistry data.

\*\*\*\*STATION\*\*\*\*

StationIDs are based on the locations recorded in the SCRIBE database. It was confirmed with field logs that Stations OV083 and OV088 had the same coordinates but were visited on different days.

\*\*\*\*SAMPLES AND REPLICATES\*\*\*\*

The collection depth of water samples in the fields UDepth and LDepth are reported in meters. Water depths were derived from a combination of the SCRIBE database and the daily logs (SciLog files) available from the cruise. The "Label" assigned to each sampleID (relative to either PAH or VOC samples) enabled correct sample information to be assigned to the data.

The original SampleIDs reported by the lab from the Chain-of-Custody is stored in the ExSampID field in the SmpWat.dbf table.

The original SampleID reported by field staff is stored in FldSampID in the SmpWat.dbf table. However, some volatile samples were given the incorrect SampleID in the field database, so the correct SampleID (with a "V" at the end of the SampleID) was reported in the fldSampID field.

The labrep field was coded with "1A" to indicate that the results were from Alpha lab. Lab duplicates (second analysis of same sample for same analytical method) were assigned labrep "2A". Lab duplicates were identified as those samples with a "D" suffix on the labID.

Several analytes are reported from 2 different analytical methods. The "preferred" result (usually with lower detection limits) is given the default labrep code (e.g., "1A" or "2A"). The results from the non-preferred analytical method have a "X" appended to the labrep code (e.g., "1AX" or "2AX")

The following chemcode/analytes were measured using two methods:

Methods: PIANO Volatile Hydrocarbons by GC/MS | 8260M and Total Saturated Hydrocarbons by GC/FID | 8015M

AHCN\_C09/ Nonane

AHCN\_C10/ Decane

AHCN\_C11/ Undecane

AHCN\_C12/ Dodecane

AHCN\_C13/ Tridecane

The results for PIANO Volatile Hydrocarbons by GC/MS were assigned labrep "1AX"

Methods: PIANO Volatile Hydrocarbons by GC/MS | 8260M and Alkylated Polynuclear Aromatic Hydrocarbons | 8270M

BTHIOPHNE/ Benzo(b)thiophene

METHNAP\_1/ 1-Methylnaphthalene

METHNAP\_2/ 2-Methylnaphthalene

NAPTHALENE/ Naphthalene

The results for PIANO Volatile Hydrocarbons by GC/MS were assigned labrep "1AX"

Alpha Lab Analytical Methods:

Total Saturated Hydrocarbons by GC/FID | 8015M | SOP. 0-003 Rev. 5 (abbreviated as 8015 M - Tot Sat. HC - GC/FID)

Alkylated Polynuclear Aromatic Hydrocarbons | 8270M | SOP. 0-008 Rev. 6 (abbreviated as 8270 M - Alkylated PAHs)

PIANO Volatile Hydrocarbons by GC/MS | 8260M | SOP. 0-019 Rev. 2 (abbreviated as 8260 M - PIANO VolHC - GC/MS)

\*\*\*\*SUMMED PARAMETERS\*\*\*\*

No sums were calculated and appended to the data set.

\*\*\*\*QUALIFIERS\*\*\*\*

Qualifiers recorded in the chemistry files represent the final data qualifiers provided by the data validation. Descriptions of the data qualifiers are included in the data dictionary.

\*\*\*\*OTHER\*\*\*\*

The original analyte reported as Benzo(k)fluoranthene was identified by the data validators to be a coelution of Benzo(k)fluoranthene and Benzo(j)fluoranthene. Therefore, the chemical data for the original Benzo(k)fluoranthene results have been assigned a chemical code for Benzo(j+k)fluoranthene.